

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services–Water Resources Department–Vigilance and Enforcement Report–Allegation of irregularities in execution of the work “Modernization of N.S. Canals in Krishna District(Package No.18)–Disciplinary proceedings against certain Engineers of Water Resources Department under Rule 20 of APCS(CC&A) Rules, 1991 –Appointment of the Chief Engineer, Krishna Delta System, Vijayawada as Inquiring Authority – Orders- Issued.

WATER RESOURCES (Vig.II-V&E.2) DEPARTMENT

G.O.RT.No. 362

Dated: 21-05-2018

Read the following:-

1	From the Director General (Vig.&Enft.) & E.O. Prl.Secy. to Govt., G.A.D. Vigilance report No. 62 (850 /V&E/E1/2008), dated:21.08.2012.
2	G.O. Rt. No 768, WR(Vig.II(V&E-2))Dept., Dated: 04.12.2017 r/w G.O. Rt. No 767, WR(Vig.II(V&E-2)) Dept., Dated: 04.12.2017
3	G.O. Rt. No. 769, WR(Vig.II(V&E-2))Dept., Dated: 04.12.2017
4	G.O. Rt. No. 770, WR(Vig.II(V&E-2))Dept., Dated: 04.12.2017
5	From Sri B.V.Narasimha Rao, AE(Retd), Written Statement of Defence, dated:21.03.2018
6	From Sri R.Shyam Prasad, DEE, Written Statement of Defence, dated: 20.03.2018
7	From Sri J.Prasad, DEE, Written Statement of Defence, dated: 21.03.2018

<<>>.

O R D E R

Whereas, an enquiry under Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 is being held against the following officers:-

Sl. No	Name and designation of the officer
1	Sri B.V.Narasimha Rao, AE(Retd)
2	Sri R.Shyam Prasad, the then DEE now EE
3	Sri J.Prasad, DEE

2. And whereas, it is considered that an Inquiring Authority should be appointed to inquire into the charges framed against the above said (3)officers.

3. Now, therefore, in exercise of the powers conferred by Sub-rule (2) of Rule 20 of the said rules, the disciplinary Authority hereby appoints the Chief Engineer, Krishna Delta System, Vijayawada as the Inquiring Authority to inquire into the charges framed against the above said three (3) charged officers.

(p.t.o.)

..2...

4. Copies of reports, Charge Memoranda and Written Statements of Defence submitted by the Charged Officers are forwarded herewith to the Inquiring Authority. The Presenting Officer will produce other original documents relating to the case before the Inquiring Authority. The Inquiring Authority is requested to complete the enquiry and submit his report within two months in the prescribed proforma, as per the orders issued in G.O.Ms.No.679, G.A. (Ser.C) Department, dated 01.11.2008 and Circular Memo No.56183/Ser.C/99,G.A. (Ser.C) Department, dated 15.10.1999.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHASHI BHUSHAN KUMAR
SECRETARY TO GOVERNMENT

To

The individuals **through** the Engineer-in-Chief (AW), Water Resources Department, Vijayawada.

The Chief Engineer, Krishna Delta System, Vijayawada and the Inquiring Authority (w.e).

Copy to:-

The Engineer-in-Chief(AW), Water Resources Department, Vijayawada for information with a request to submit the dated acknowledgements of the Charged Officers to Government without any delay.

The Superintending Engineer, Quality Control, Nuzivid, Krishna District and Presenting Officer in this case.

SF/SC.

// FORWARDED :: BY ORDER //

SECTION OFFICER